

Facility Name: K-SOLV LP

FACILITY IDENTIFICATION:

K-SOLV LP

Dept:

Physical Address: 1015 LAKESIDE DR, CHANNELVIEW, TX 77530-4647

Mailing Address:

Geographic Location:

County: HARRIS

Latitude: 29.767315

Longitude: -95.103604

Fire Department: Channelview Fire Department

LEPC: North Channel LEPC

☒ All facility information (not including chemical information) is identical to last year's submission

IDENTIFICATION NUMBERS:

Dun & Bradstreet: N/A

NAICS: 424710 (Petroleum Bulk Stations and Terminals)

TRI: 77530KSLVL17LAK (TRI Facility ID)

Is the facility manned? ☒ Manned ☐ Unmanned

Maximum No. of Occupants: 10

REGULATORY INFORMATION:

Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)?

☒ Yes ☐ No

Subject to Chem. Accident Prevention under Section 112(r) of CAA (40 CFR part 68, Risk Mgmt. Pgm.)?

☐ Yes ☒ No

CONTACT INFORMATION:

Russell Allen

Organization: K-SOLV LP

Title: PRESIDENT

Contact Type(s): PARENT COMPANY, OWNER / OPERATOR, EMERGENCY CONTACT

Address: 9660 KATY FWY, HOUSTON, TX, 77055

Phones: 24-HOUR: 713-248-4522 EMERGENCY: 713-248-4522 WORK PHONE: 713-468-5768

Email: russell@ksolv.com

Kodi Scott

Title: COMPLIANCE COORDINATOR

Contact Type(s): EMERGENCY CONTACT, FAC. EMERGENCY COORDINATOR, SAFETY MANAGER, TIER II
INFORMATION CONTACT

Address: 1015 LAKESIDE DR, CHANNELVIEW, TX, 77530

Phones: 24-HOUR: 281-254-2914 WORK PHONE: 281-452-4000

Email: tyson@ksolv.com

Gary Weatherly

Title: VP OPERATIONS

Contact Type(s): EMERGENCY CONTACT

Address: 1015 LAKESIDE DR, CHANNELVIEW, TX, 77530

Phones: 24-HOUR: 713-829-6097 WORK PHONE: 281-452-4000

Email: gary@ksolv.com

CHEMICAL DESCRIPTIONS:

CHEMICAL NAME: Glycol Ether DE

Facility Name: K-SOLV LP

CAS #: 111-90-0 EHS:

- ☐ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 111-90-0, Component: DIETHYLENE GLYCOL ETHYL ETHER, % Wt, Max Amt Code:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input type="checkbox"/> Skin corrosion or irritation | <input checked="" type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 05 (5,000 - 9,999 pounds)
Avg Daily Amt code: 05 (5,000 - 9,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 350

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: Bay 4
Amount: N/A pounds

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: OSW
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: LPA 210 Solvent

CAS #: 64742-47-8 EHS:

- ☐ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 64742-47-8, Component: PETROLEUM DISTILLATES, HYDROTREATED, LIGHT, 100% Wt, Max Amt Code:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |

Facility Name: K-SOLV LP

☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Reproductive toxicity
☐ Serious eye damage or eye irritation
☒ Skin corrosion or irritation

☒ Aspiration hazard
☐ Germ cell mutagenicity
☐ Respiratory or skin sensitization
☐ Simple Asphyxiant
☒ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 105

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: OSW
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Maxpar G2-600

CAS #: EHS:

☐ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 64742-54-7, Component: HEAVY PARAFFINIC HYDRATREATED DISTILLATE, % Wt, Max Amt Code:
☐ EHS, CAS: 64742-55-8, Component: LIGHT PARAFFINIC HYDROTREATED DISTILLATE, % Wt, Max Amt Code:

PHYSICAL HAZARDS:

☐ Combustible dust
☐ Explosive
☐ Gas under pressure
☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☐ Corrosive to metal
☐ Flammable
☐ In contact with water emits flammable gas
☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Reproductive toxicity
☐ Serious eye damage or eye irritation
☐ Skin corrosion or irritation

☐ Aspiration hazard
☐ Germ cell mutagenicity
☐ Respiratory or skin sensitization
☐ Simple Asphyxiant
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 45

STORAGE LOCATIONS

Facility Name: K-SOLV LP

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: Bay 2

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: MaxSolv H-250

CAS #: 64742-46-7 EHS:

☐ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 64742-46-7, Component: DISTILALTES (PETROLEUM) HYDROTREATED MIDDLE, 100% Wt, Max Amt Code:

PHYSICAL HAZARDS:

☐ Combustible dust
☐ Explosive
☐ Gas under pressure
☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☐ Corrosive to metal
☐ Flammable
☐ In contact with water emits flammable gas
☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Reproductive toxicity
☐ Serious eye damage or eye irritation
☐ Skin corrosion or irritation

☒ Aspiration hazard
☐ Germ cell mutagenicity
☐ Respiratory or skin sensitization
☐ Simple Asphyxiant
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 06 (10,000 - 24,999 pounds)

Avg Daily Amt code: 06 (10,000 - 24,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 75

STORAGE LOCATIONS

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: OSW

Amount: N/A pounds

☐ Confidential

Container Type: Steel drum

Pressure: Ambient pressure Temp: Ambient temperature

Location: OSW

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: N-METHYLPYRROLIDONE

CAS #: 872-50-4 EHS: NO

Facility Name: K-SOLV LP

☐ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input checked="" type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input type="checkbox"/> Skin corrosion or irritation	<input checked="" type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 45

STORAGE LOCATIONS

☐ Confidential
Container Type: Steel drum
Pressure: Ambient pressure Temp: Ambient temperature
Location: OSW
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: N-PROPYL ACETATE

CAS #: 109-60-4 EHS: NO

☐ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input type="checkbox"/> Skin corrosion or irritation	<input checked="" type="checkbox"/> Specific target organ toxicity(single or

Facility Name: K-SOLV LP

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 135

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: Bay 4
Amount: N/A pounds

☐ Confidential
Container Type: Steel drum
Pressure: Ambient pressure Temp: Ambient temperature
Location: OSW
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Odorless Mineral Spirits
CAS #: 68551-16-6 EHS:

☐ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input checked="" type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input type="checkbox"/> Skin corrosion or irritation	<input checked="" type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 30

STORAGE LOCATIONS

☐ Confidential
Container Type: Above ground tank

Facility Name: K-SOLV LP

Pressure: Ambient pressure Temp: Ambient temperature
Location: K-803
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: PERCHLOROETHYLENE
CAS #: 127-18-4 EHS: NO

☐ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input checked="" type="checkbox"/> Aspiration hazard
<input checked="" type="checkbox"/> Carcinogenicity	<input checked="" type="checkbox"/> Germ cell mutagenicity
<input checked="" type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input checked="" type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 180

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: Bay 7
Amount: N/A pounds

☐ Confidential
Container Type: Steel drum
Pressure: Ambient pressure Temp: Ambient temperature
Location: Bay 7
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Propylene Carbonate
CAS #: 108-32-7 EHS:

☐ Identical to previous year

Facility Name: K-SOLV LP

☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 08 (50,000 - 74,999 pounds)
Avg Daily Amt code: 09 (75,000 - 99,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 105

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: OSW
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Sorbitol 70%

CAS #: EHS:

☐ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 50-70-4, Component: SORBITOL, % Wt, Max Amt Code:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

Facility Name: K-SOLV LP

☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 45

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: Bay 5
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: SOYBEAN OIL
CAS #: 8001-22-7 EHS: NO

☐ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 180

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: Yard
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: TRIETHANOLAMINE

Facility Name: K-SOLV LP

CAS #: 102-71-6 EHS: NO

☐ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 350

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: Bay 3
Amount: N/A pounds

☐ Confidential
Container Type: Steel drum
Pressure: Ambient pressure Temp: Ambient temperature
Location: Bay 4
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: WOOD TURPENTINE (FLAMMABLE LIQUIDS, N.O.S.)
CAS #: 8006-64-2 EHS: NO

☐ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas

Facility Name: K-SOLV LP

☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☒ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Reproductive toxicity
☒ Serious eye damage or eye irritation
☒ Skin corrosion or irritation

☒ Aspiration hazard
☐ Germ cell mutagenicity
☒ Respiratory or skin sensitization
☐ Simple Asphyxiant
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 350

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: OSW
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Isopar H

CAS #: 64742-48-9 EHS:

☐ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 64742-48-9, Component: NAPHTHA (PETROLEUM), HYDROTREATED HEAVY, 100% Wt, Max Amt Code:

PHYSICAL HAZARDS:

☐ Combustible dust
☐ Explosive
☐ Gas under pressure
☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☐ Corrosive to metal
☒ Flammable
☐ In contact with water emits flammable gas
☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Reproductive toxicity
☒ Serious eye damage or eye irritation
☒ Skin corrosion or irritation

☒ Aspiration hazard
☐ Germ cell mutagenicity
☒ Respiratory or skin sensitization
☐ Simple Asphyxiant
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 180

STORAGE LOCATIONS

☐ Confidential

Facility Name: K-SOLV LP

Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: Bay 4
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: PPG-4000

CAS #: 25322-69-4 EHS:

☐ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 25322-69-4, Component: POLYETHER POLYOL, 100% Wt, Max Amt Code:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 105

STORAGE LOCATIONS

☐ Confidential
Container Type: Steel drum
Pressure: Ambient pressure Temp: Ambient temperature
Location: OSW
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Aromatic 100

CAS #: EHS:

☐ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 95-63-6, Component: 1,2,4-TRIMETHYLBENZENE, 25% Wt, Max Amt Code:

Facility Name: K-SOLV LP

☐ EHS, CAS: 98-82-8, Component: CUMENE, 3% Wt, Max Amt Code:☐ EHS, CAS: 1330-20-7, Component: DIMETHYLBENZENES, 1% Wt, Max Amt Code:☐ EHS, CAS: 64742-95-2, Component: LIGHT AROMATIC SOLVENT NAPHTHA, 71% Wt, Max Amt Code:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|--|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input checked="" type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input checked="" type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 08 (50,000 - 74,999 pounds)
Avg Daily Amt code: 08 (50,000 - 74,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 330

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-705
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Beradol 91-8

CAS #: 98439-46-3 EHS:

- ☐ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 68439-46-3, Component: ALCOHOLS C9-11, ETHOXYLATED, 100% Wt, Max Amt Code:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)

Facility Name: K-SOLV LP

Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 180

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: OSW
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Amide C

CAS #: EHS:

☐ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 68603-42-9, Component: COCAMIDE DIETHANOLAMINE, 90% Wt, Max Amt Code:
☐ EHS, CAS: 111-42-2, Component: DIETHANOLAMINE, 10% Wt, Max Amt Code:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input checked="" type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input checked="" type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input checked="" type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input checked="" type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 350

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: OSW
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Beradol 91-6

CAS #: 68439-46-3 EHS:

Facility Name: K-SOLV LP

- ☐ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 68439-46-3, Component: ALCOHOLS, C9-11, ETHOXYLATED, 100% Wt, Max Amt Code:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input checked="" type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 180

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: OSW
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Aromatic 200

CAS #: 64742-94-5 EHS:

- ☒ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 64742-94-5, Component: Heavy Aromatic Naphtha, 93% Wt, Max Amt Code:

☐ EHS, CAS: 91-20-3, Component: NAPHTHALENE, 7% Wt, Max Amt Code:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input checked="" type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |

Facility Name: K-SOLV LP

☒ Skin corrosion or irritation

☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 07 (25,000 - 49,999 pounds)

Avg Daily Amt code: 06 (10,000 - 24,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: B-5

Amount: N/A pounds

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: YARD

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Blendstock

CAS #: EHS:

☒ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 64792-94-5, Component: Heavy aromatic petroleum naphtha, % Wt, Max Amt Code:

☐ EHS, CAS: 91-20-3, Component: NAPHTHALENE, % Wt, Max Amt Code:

☐ EHS, CAS: 71-43-2, Component: BENZENE, % Wt, Max Amt Code:

PHYSICAL HAZARDS:

☐ Combustible dust

☐ Explosive

☐ Gas under pressure

☐ Organic peroxide

☐ Pyrophoric gas

☐ Self-heating

☐ Corrosive to metal

☒ Flammable

☐ In contact with water emits flammable gas

☐ Oxidizer

☐ Pyrophoric

☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)

☐ Carcinogenicity

☐ Reproductive toxicity

☒ Serious eye damage or eye irritation

☒ Skin corrosion or irritation

☐ Aspiration hazard

☐ Germ cell mutagenicity

☒ Respiratory or skin sensitization

☐ Simple Asphyxiant

☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 11 (500,000 - 999,999 pounds)

Avg Daily Amt code: 10 (100,000 - 499,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

Facility Name: K-SOLV LP

STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: K-103

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: K-201

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: K-202

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: K-203

Amount: N/A pounds

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: B-5

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Caustic Soda 50%

CAS #: 1310-73-2 EHS:

☐ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- ☐ Combustible dust
- ☐ Explosive
- ☐ Gas under pressure
- ☐ Organic peroxide
- ☐ Pyrophoric gas
- ☐ Self-heating

- ☒ Corrosive to metal
- ☐ Flammable
- ☐ In contact with water emits flammable gas
- ☐ Oxidizer
- ☐ Pyrophoric
- ☐ Self-reactive

HEALTH HAZARDS:

- ☐ Acute toxicity (any route of exposure)
- ☐ Carcinogenicity
- ☐ Reproductive toxicity
- ☒ Serious eye damage or eye irritation
- ☒ Skin corrosion or irritation

- ☐ Aspiration hazard
- ☐ Germ cell mutagenicity
- ☒ Respiratory or skin sensitization
- ☐ Simple Asphyxiant
- ☐ Specific target organ toxicity(single or

Facility Name: K-SOLV LP

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 330

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-3
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Diesel blend

CAS #: EHS:

☒ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input checked="" type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-204
Amount: N/A pounds

☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature

Facility Name: K-SOLV LP

Location: K-205
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Diethanolamine (DEA)
CAS #: 111-42-2 EHS:

☒ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Other
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-2
Amount: N/A pounds

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-3
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: DIETHYLENE GLYCOL
CAS #: 111-46-6 EHS: NO

☒ Identical to previous year
☐ Trade Secret

Facility Name: K-SOLV LP

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input checked="" type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 08 (50,000 - 74,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-1
Amount: N/A pounds

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: YARD
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Distillates (straight run middle)

CAS #: EHS:

- ☒ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
|---|--|

Facility Name: K-SOLV LP

<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-6
Amount: N/A pounds

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: YARD
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: DPG (oxydipropanol)

CAS #: EHS:

☒ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

Facility Name: K-SOLV LP

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-3
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Ethanol

CAS #: EHS:

☒ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input checked="" type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: YARD
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Ethylene Dichloride (EDC)

CAS #: EHS:

☒ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

Facility Name: K-SOLV LP

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input checked="" type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input checked="" type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input checked="" type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-7
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: ETHYLENE GLYCOL

CAS #: 107-21-1 EHS: NO

- ☐ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input checked="" type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Daily Amt code: 10 (100,000 - 499,999 pounds)

Facility Name: K-SOLV LP

Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-404
Amount: N/A pounds

☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-402
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Ethylenediamine (EDA)
CAS #: 107-15-3 EHS:

☒ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input checked="" type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input checked="" type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input checked="" type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 03 (500 - 999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-5
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

Facility Name: K-SOLV LP

No additional chemical information is required by Texas

CHEMICAL NAME: GLYCOL ETHER DB
CAS #: 112-34-5 EHS: NO

☐ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 112-34-5, Component: DIETHYLENE GLYCOL MONOBUTYL ETHER, 99% Wt, Max Amt Code:
☐ EHS, CAS: 111-76-2, Component: 2-Butoxyethanol, 1% Wt, Max Amt Code:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input checked="" type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 09 (75,000 - 99,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: 5730 pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-701
Amount: N/A pounds

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: YARD
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Glycol Ether DPM
CAS #: 34590-94-8 EHS:

☒ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

Facility Name: K-SOLV LP

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|---|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 09 (75,000 - 99,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-706
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: GLYCOL ETHER EB

CAS #: 111-76-2 EHS: NO

- ☒ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|---|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Daily Amt code: 08 (50,000 - 74,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds

Facility Name: K-SOLV LP

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: K-702

Amount: N/A pounds

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: YARD

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Acetic Acid

CAS #: EHS:

☒ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

☐ Combustible dust
☐ Explosive
☐ Gas under pressure
☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☒ Corrosive to metal
☒ Flammable
☐ In contact with water emits flammable gas
☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Reproductive toxicity
☒ Serious eye damage or eye irritation
☒ Skin corrosion or irritation

☐ Aspiration hazard
☐ Germ cell mutagenicity
☒ Respiratory or skin sensitization
☐ Simple Asphyxiant
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 06 (10,000 - 24,999 pounds)

Avg Daily Amt code: 06 (10,000 - 24,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: B-3

Amount: N/A pounds

☐ Confidential

Container Type: Other

Facility Name: K-SOLV LP

Pressure: Ambient pressure Temp: Ambient temperature
Location: B-4
Amount: N/A pounds

☐ Confidential
Container Type: Fiber drum
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-2
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: 210-245

CAS #: 68410-97-9 EHS:

☐ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 68410-97-9, Component: Distillates (petroleum), light distillate hydrotreating process, low-boiling, 99% Wt, Max
Amt Code:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Max Amt quantity in largest container: 299570 pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-505
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: ACETONE

CAS #: 67-64-1 EHS: NO

Facility Name: K-SOLV LP

☒ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input checked="" type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Daily Amt code: 08 (50,000 - 74,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-504
Amount: N/A pounds

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: OS WHSE
Amount: N/A pounds

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: YARD
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Aromatic 150

CAS #: 64475-85-0 EHS:

☐ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

Facility Name: K-SOLV LP

☐ EHS, CAS: 68477-31-6, Component: Petroleum Distillate, % Wt, Max Amt Code:

☐ EHS, CAS: , Component: Methylnaphthalenes, % Wt, Max Amt Code:

☐ EHS, CAS: 91-20-3, Component: NAPHTHALENE, % Wt, Max Amt Code:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Daily Amt code: 08 (50,000 - 74,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-902
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: HEXANE

CAS #: 110-54-3 EHS: NO

- ☐ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 08 (50,000 - 74,999 pounds)

Facility Name: K-SOLV LP

Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-103
Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-105
Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-203
Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-601
Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-602
Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-901
Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-704
Amount: N/A pounds

☐ Confidential

Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: YARD
Amount: N/A pounds

Facility Name: K-SOLV LP

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: HYDROCHLORIC ACID

CAS #: 7647-01-0 EHS: NO

☒ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- ☐ Combustible dust
- ☐ Explosive
- ☐ Gas under pressure
- ☐ Organic peroxide
- ☐ Pyrophoric gas
- ☐ Self-heating

- ☒ Corrosive to metal
- ☐ Flammable
- ☐ In contact with water emits flammable gas
- ☐ Oxidizer
- ☐ Pyrophoric
- ☐ Self-reactive

HEALTH HAZARDS:

- ☐ Acute toxicity (any route of exposure)
- ☐ Carcinogenicity
- ☐ Reproductive toxicity
- ☒ Serious eye damage or eye irritation
- ☒ Skin corrosion or irritation

- ☐ Aspiration hazard
- ☐ Germ cell mutagenicity
- ☒ Respiratory or skin sensitization
- ☐ Simple Asphyxiant
- ☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 04 (1,000 - 4,999 pounds)

Avg Daily Amt code: 04 (1,000 - 4,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Other

Pressure: Ambient pressure Temp: Ambient temperature

Location: B-2

Amount: N/A pounds

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: B-3

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: ISOPROPANOL

CAS #: 67-63-0 EHS: NO

☐ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

Facility Name: K-SOLV LP

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-903
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-301
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-306
Amount: N/A pounds

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: YARD
Amount: N/A pounds

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: OS WHSE
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: K-Solv Heavy Aromatic Distillate

Facility Name: K-SOLV LP

CAS #: EHS:

- ☐ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

- ☐ EHS, CAS: 1330-20-7, Component: DIMETHYLBENZENE, 3% Wt, Max Amt Code: 02
☐ EHS, CAS: 95-63-6, Component: PSEUDOCUMENE, 3% Wt, Max Amt Code: 02
☐ EHS, CAS: 98-82-8, Component: CUMENE, 5% Wt, Max Amt Code: 02
☐ EHS, CAS: 64742-94-5, Component: Heavy Aromatic Solvent Naphtha, 70% Wt, Max Amt Code:
☐ EHS, CAS: 64742-95-6, Component: Light Aromatic Solvent Naphtha, 19% Wt, Max Amt Code:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input checked="" type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: YARD
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-102
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-604
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-605
Amount: N/A pounds

Facility Name: K-SOLV LP

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: LPA-170

CAS #: EHS:

☒ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- ☐ Combustible dust
- ☐ Explosive
- ☐ Gas under pressure
- ☐ Organic peroxide
- ☐ Pyrophoric gas
- ☐ Self-heating

- ☐ Corrosive to metal
- ☒ Flammable
- ☐ In contact with water emits flammable gas
- ☐ Oxidizer
- ☐ Pyrophoric
- ☐ Self-reactive

HEALTH HAZARDS:

- ☒ Acute toxicity (any route of exposure)
- ☐ Carcinogenicity
- ☐ Reproductive toxicity
- ☒ Serious eye damage or eye irritation
- ☒ Skin corrosion or irritation

- ☐ Aspiration hazard
- ☐ Germ cell mutagenicity
- ☒ Respiratory or skin sensitization
- ☐ Simple Asphyxiant
- ☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 07 (25,000 - 49,999 pounds)

Avg Daily Amt code: 07 (25,000 - 49,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: B-6

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Lube Oils

CAS #: EHS:

☐ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- ☐ Combustible dust
- ☐ Explosive
- ☐ Gas under pressure
- ☐ Organic peroxide
- ☐ Pyrophoric gas

- ☐ Corrosive to metal
- ☒ Flammable
- ☐ In contact with water emits flammable gas
- ☐ Oxidizer
- ☐ Pyrophoric

Facility Name: K-SOLV LP

☐ Self-heating

☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Reproductive toxicity
☒ Serious eye damage or eye irritation
☒ Skin corrosion or irritation

☐ Aspiration hazard
☐ Germ cell mutagenicity
☐ Respiratory or skin sensitization
☐ Simple Asphyxiant
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 08 (50,000 - 74,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: YARD
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Marathon 142 Solvent

CAS #: EHS:

☒ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: , Component: Paraffins, % Wt, Max Amt Code:
☐ EHS, CAS: , Component: Cycloparaffins, % Wt, Max Amt Code:
☐ EHS, CAS: , Component: Aromatic Hydrocarbons, % Wt, Max Amt Code:

PHYSICAL HAZARDS:

☐ Combustible dust
☐ Explosive
☐ Gas under pressure
☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating
☐ Corrosive to metal
☒ Flammable
☐ In contact with water emits flammable gas
☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Reproductive toxicity
☒ Serious eye damage or eye irritation
☒ Skin corrosion or irritation

☐ Aspiration hazard
☐ Germ cell mutagenicity
☐ Respiratory or skin sensitization
☐ Simple Asphyxiant
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 09 (75,000 - 99,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

Facility Name: K-SOLV LP

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: K-801

Amount: N/A pounds

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: B-5

Amount: N/A pounds

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: OS WHSE

Amount: N/A pounds

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: yard

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: MEK

CAS #: EHS:

☐ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 78-93-3, Component: 2-BUTANONE, % Wt, Max Amt Code:

☐ EHS, CAS: 64-17-5, Component: ETHYL ALCOHOL, % Wt, Max Amt Code:

☐ EHS, CAS: 67-64-1, Component: 2-PROPANONE, % Wt, Max Amt Code:

PHYSICAL HAZARDS:

☐ Combustible dust
☐ Explosive
☐ Gas under pressure
☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☐ Corrosive to metal
☒ Flammable
☐ In contact with water emits flammable gas
☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☒ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Reproductive toxicity
☒ Serious eye damage or eye irritation
☒ Skin corrosion or irritation

☐ Aspiration hazard
☐ Germ cell mutagenicity
☒ Respiratory or skin sensitization
☐ Simple Asphyxiant
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 10 (100,000 - 499,999 pounds)

Avg Daily Amt code: 09 (75,000 - 99,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

Facility Name: K-SOLV LP

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: K-803

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: K-806

Amount: N/A pounds

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: OS WHSE

Amount: N/A pounds

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: YARD

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: K-401

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: METHANOL

CAS #: 67-56-1 EHS: NO

☐ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 67-56-1, Component: METHANOL, % Wt, Max Amt Code:

☐ EHS, CAS: 71-23-8, Component: 1-PROPANOL, % Wt, Max Amt Code:

☐ EHS, CAS: 109-99-9, Component: TETRAHYDROFURAN, % Wt, Max Amt Code:

☐ EHS, CAS: 71-36-3, Component: N-BUTANOL, % Wt, Max Amt Code:

☐ EHS, CAS: 7732-18-5, Component: Water, % Wt, Max Amt Code:

PHYSICAL HAZARDS:

☐ Combustible dust

☐ Explosive

☐ Gas under pressure

☐ Organic peroxide

☐ Pyrophoric gas

☐ Self-heating

☐ Corrosive to metal

☒ Flammable

☐ In contact with water emits flammable gas

☐ Oxidizer

☐ Pyrophoric

☐ Self-reactive

Facility Name: K-SOLV LP

HEALTH HAZARDS:

- | | |
|--|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 11 (500,000 - 999,999 pounds)
Avg Daily Amt code: 11 (500,000 - 999,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-404
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-803
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-901
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-304
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-305
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-303
Amount: N/A pounds

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature

Facility Name: K-SOLV LP

Location: YARD
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Methyl Acrylate
CAS #: EHS:

☒ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input checked="" type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input checked="" type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input checked="" type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-5
Amount: N/A pounds

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-3
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Methyl isobutyl ketone (MIBK)
CAS #: EHS:

☒ Identical to previous year
☐ Trade Secret

Facility Name: K-SOLV LP

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 08 (50,000 - 74,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: OS WHSE
Amount: N/A pounds

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: YARD
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: METHYL METHACRYLATE

CAS #: 80-62-6 EHS: NO

☒ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
|---|--|

Facility Name: K-SOLV LP

<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input checked="" type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: YARD
Amount: N/A pounds

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-5
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Methyl Oleate

CAS #: EHS:

☒ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

Facility Name: K-SOLV LP

STORAGE LOCATIONS

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: OS WHSE

Amount: N/A pounds

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: YARD

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Methyl-n-amyl ketone

CAS #: EHS:

☒ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

☐ Combustible dust
☐ Explosive
☐ Gas under pressure
☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☐ Corrosive to metal
☒ Flammable
☐ In contact with water emits flammable gas
☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☒ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Reproductive toxicity
☐ Serious eye damage or eye irritation
☐ Skin corrosion or irritation

☐ Aspiration hazard
☐ Germ cell mutagenicity
☐ Respiratory or skin sensitization
☐ Simple Asphyxiant
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 06 (10,000 - 24,999 pounds)

Avg Daily Amt code: 06 (10,000 - 24,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Steel drum

Pressure: Ambient pressure Temp: Ambient temperature

Location: B-4

Amount: N/A pounds

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: OS WHSE

Facility Name: K-SOLV LP

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Methylene Chloride (MEC)

CAS #: EHS:

☒ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- ☐ Combustible dust
- ☐ Explosive
- ☐ Gas under pressure
- ☐ Organic peroxide
- ☐ Pyrophoric gas
- ☐ Self-heating

- ☐ Corrosive to metal
- ☐ Flammable
- ☐ In contact with water emits flammable gas
- ☐ Oxidizer
- ☐ Pyrophoric
- ☐ Self-reactive

HEALTH HAZARDS:

- ☒ Acute toxicity (any route of exposure)
- ☒ Carcinogenicity
- ☐ Reproductive toxicity
- ☒ Serious eye damage or eye irritation
- ☒ Skin corrosion or irritation

- ☐ Aspiration hazard
- ☐ Germ cell mutagenicity
- ☒ Respiratory or skin sensitization
- ☐ Simple Asphyxiant
- ☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 07 (25,000 - 49,999 pounds)

Avg Daily Amt code: 07 (25,000 - 49,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: B-7

Amount: N/A pounds

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: B-2

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Mineral Spirits

CAS #: EHS:

☒ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

Facility Name: K-SOLV LP

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input checked="" type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Daily Amt code: 09 (75,000 - 99,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-803
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-804
Amount: N/A pounds

- ☐ Confidential
Container Type: Steel drum
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-4
Amount: N/A pounds

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-5
Amount: N/A pounds

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: YARD
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

Facility Name: K-SOLV LP

CHEMICAL NAME: Mixed Alcohols

CAS #: EHS:

- ☐ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

- ☐ EHS, CAS: 64-17-5, Component: ETHYL ALCOHOL, % Wt, Max Amt Code:
☐ EHS, CAS: 109-99-9, Component: TETRAHYDROFURAN, % Wt, Max Amt Code:
☐ EHS, CAS: 108-10-1, Component: METHYL ISOBUTYL KETONE, % Wt, Max Amt Code:
☐ EHS, CAS: 67-56-1, Component: METHYL ALCOHOL, % Wt, Max Amt Code:
☐ EHS, CAS: 67-63-0, Component: ISOPROPYL ALCOHOL, % Wt, Max Amt Code:
☐ EHS, CAS: 64742-55-8, Component: Petroleum Distillates, % Wt, Max Amt Code:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input checked="" type="checkbox"/> Explosive | <input type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|---|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-506
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-903
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-1002
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank

Facility Name: K-SOLV LP

Pressure: Ambient pressure Temp: Ambient temperature
Location: K-303
Amount: N/A pounds

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: YARD
Amount: N/A pounds

☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-306
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Mixed Chlorides

CAS #: EHS:

☒ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input checked="" type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-7
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

Facility Name: K-SOLV LP

No additional chemical information is required by Texas

CHEMICAL NAME: Monoethanolamine

CAS #: EHS:

☒ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input checked="" type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-5
Amount: N/A pounds

- ☐ Confidential
Container Type: Other
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-4
Amount: N/A pounds

- ☐ Confidential
Container Type: Other
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-2
Amount: N/A pounds

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-1
Amount: N/A pounds

Facility Name: K-SOLV LP

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: MR Solvent

CAS #: EHS:

☒ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-6
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Nonylphenol polyethylene glycol ether

CAS #: 127087-87-0 EHS:

☒ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

Facility Name: K-SOLV LP

HEALTH HAZARDS:

<input checked="" type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 08 (50,000 - 74,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Other
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-2
Amount: N/A pounds

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: YARD
Amount: N/A pounds

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-1
Amount: N/A pounds

☐ Confidential
Container Type: Other
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-4
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Petroleum Distillate (light)

CAS #: EHS:

☐ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 8008-20-6, Component: KEROSENE, % Wt, Max Amt Code:
☐ EHS, CAS: 64741-44-2, Component: Light Atmospheric Gas Oil, % Wt, Max Amt Code:
☐ EHS, CAS: 64741-77-1, Component: Light Hydrocracked Distillate (Petroleum), % Wt, Max Amt Code:
☐ EHS, CAS: 64742-55-8, Component: Petroleum Distillate, % Wt, Max Amt Code:

Facility Name: K-SOLV LP

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-103
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-105
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-201
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-202
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-203
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-204
Amount: N/A pounds

Facility Name: K-SOLV LP

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: K-502

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: K-601

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: K-603

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: K-606

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: K-206

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: K-602

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: PM Acetate

CAS #: EHS:

☒ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

☐ Combustible dust
☐ Explosive
☐ Gas under pressure
☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☐ Corrosive to metal
☒ Flammable
☐ In contact with water emits flammable gas
☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

Facility Name: K-SOLV LP

HEALTH HAZARDS:

- | | |
|--|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 08 (50,000 - 74,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-802
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-802
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Pro Flow

CAS #: EHS:

- ☒ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input checked="" type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 08 (50,000 - 74,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds

Facility Name: K-SOLV LP

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: K-901

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: PROPANOL

CAS #: 71-23-8 EHS: NO

☐ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- ☐ Combustible dust
- ☐ Explosive
- ☐ Gas under pressure
- ☐ Organic peroxide
- ☐ Pyrophoric gas
- ☐ Self-heating

- ☐ Corrosive to metal
- ☒ Flammable
- ☐ In contact with water emits flammable gas
- ☐ Oxidizer
- ☐ Pyrophoric
- ☐ Self-reactive

HEALTH HAZARDS:

- ☐ Acute toxicity (any route of exposure)
- ☐ Carcinogenicity
- ☐ Reproductive toxicity
- ☒ Serious eye damage or eye irritation
- ☒ Skin corrosion or irritation

- ☐ Aspiration hazard
- ☐ Germ cell mutagenicity
- ☐ Respiratory or skin sensitization
- ☐ Simple Asphyxiant
- ☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 07 (25,000 - 49,999 pounds)

Avg Daily Amt code: 07 (25,000 - 49,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Steel drum

Pressure: Ambient pressure Temp: Ambient temperature

Location: Bay 4

Amount: N/A pounds

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: OS WHSE

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

Facility Name: K-SOLV LP

CHEMICAL NAME: PROPYLENE GLYCOL
CAS #: 57-55-6 EHS: NO

☐ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input checked="" type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 08 (50,000 - 74,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-6
Amount: N/A pounds

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-1
Amount: N/A pounds

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: OSW
Amount: N/A pounds

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-2
Amount: N/A pounds

☐ Confidential

Facility Name: K-SOLV LP

Container Type: Other
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-2
Amount: N/A pounds

☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-403
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Russel Stanley Blend
CAS #: EHS:

☒ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 1330-20-7, Component: XYLENE, 40% Wt, Max Amt Code:
☐ EHS, CAS: 78-93-3, Component: METHYL ETHYL KETONE, 55% Wt, Max Amt Code:
☐ EHS, CAS: 71-23-8, Component: PROPANOL, 5% Wt, Max Amt Code:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input checked="" type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 04 (1,000 - 4,999 pounds)
Avg Daily Amt code: 04 (1,000 - 4,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: OS WHSE
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: STYRENE

Facility Name: K-SOLV LP

CAS #: 100-42-5 EHS: NO

- ☐ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

- ☐ EHS, CAS: , Component: Styrene, 100% Wt, Max Amt Code:
☐ EHS, CAS: , Component: P-Tertiary Butyl Catecol, 0% Wt, Max Amt Code:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input checked="" type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input checked="" type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Daily Amt code: 09 (75,000 - 99,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-1001
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-1007
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-504
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-501
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank

Facility Name: K-SOLV LP

Pressure: Ambient pressure Temp: Ambient temperature
Location: K-502
Amount: N/A pounds

☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-503
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: T-Butyl Acetate

CAS #: EHS:

☒ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input checked="" type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: OS WHSE
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: T-butyl Alcohol

CAS #: 75-65-0 EHS:

☐ Identical to previous year

Facility Name: K-SOLV LP

☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 75-65-0, Component: TERT-BUTYL ALCOHOL, 93% Wt, Max Amt Code:

☐ EHS, CAS: 7732-18-5, Component: Lower Alcohols/water/other, 7% Wt, Max Amt Code:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input checked="" type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input checked="" type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity (single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 09 (75,000 - 99,999 pounds)
Avg Daily Amt code: 08 (50,000 - 74,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Steel drum
Pressure: Ambient pressure Temp: Ambient temperature
Location: Yard
Amount: N/A pounds

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: YARD
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Tetrachloroethylene

CAS #: EHS:

☒ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

Facility Name: K-SOLV LP

HEALTH HAZARDS:

- | | |
|--|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input checked="" type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Other
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-2
Amount: N/A pounds

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-7
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: TOLUENE

CAS #: 108-88-3 EHS: NO

- ☒ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input checked="" type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds

Facility Name: K-SOLV LP

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: K-106

Amount: N/A pounds

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: OS WHSE

Amount: N/A pounds

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: YARD

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: TRIETHYLENE GLYCOL

CAS #: 112-27-6 EHS: NO

☒ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- ☐ Combustible dust
- ☐ Explosive
- ☐ Gas under pressure
- ☐ Organic peroxide
- ☐ Pyrophoric gas
- ☐ Self-heating

- ☐ Corrosive to metal
- ☒ Flammable
- ☐ In contact with water emits flammable gas
- ☐ Oxidizer
- ☐ Pyrophoric
- ☐ Self-reactive

HEALTH HAZARDS:

- ☐ Acute toxicity (any route of exposure)
- ☐ Carcinogenicity
- ☐ Reproductive toxicity
- ☒ Serious eye damage or eye irritation
- ☒ Skin corrosion or irritation

- ☐ Aspiration hazard
- ☐ Germ cell mutagenicity
- ☒ Respiratory or skin sensitization
- ☐ Simple Asphyxiant
- ☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 10 (100,000 - 499,999 pounds)

Avg Daily Amt code: 10 (100,000 - 499,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Fiber drum

Facility Name: K-SOLV LP

Pressure: Ambient pressure Temp: Ambient temperature
Location: YARD
Amount: N/A pounds

☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-406
Amount: N/A pounds

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-1
Amount: N/A pounds

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: YARD
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: VINYL ACETATE

CAS #: 108-05-4 EHS: YES

☒ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input checked="" type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 05 (5,000 - 9,999 pounds)
Avg Daily Amt code: 05 (5,000 - 9,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Facility Name: K-SOLV LP

Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-3
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: VM & P Naphtha

CAS #: EHS:

☐ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 09 (75,000 - 99,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: B-5
Amount: N/A pounds

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: YARD
Amount: N/A pounds

☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-805
Amount: N/A pounds

Facility Name: K-SOLV LP

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: XYLENE

CAS #: 1330-20-7 EHS: NO

☐ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input checked="" type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-1007
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-604
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-104
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: K-105
Amount: N/A pounds

Facility Name: K-SOLV LP

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: OSW

Amount: N/A pounds

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: YARD

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: EXXAL 13

CAS #: 68526-86-3 EHS:

☐ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 68526-86-3, Component: ALCOHOLS C11-C14-ISO-, C13-RICH, % Wt, Max Amt Code:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input checked="" type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 07 (25,000 - 49,999 pounds)

Avg Daily Amt code: 07 (25,000 - 49,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 135

STORAGE LOCATIONS

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: OSW

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: ISOBUTANOL

Facility Name: K-SOLV LP

CAS #: 78-83-1 EHS: NO

☐ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input checked="" type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 45

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: Bay 4
Amount: N/A pounds

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: OSW
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: CAUSTIC SODA

CAS #: 1310-73-2 EHS: NO

☐ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☒ Solid ☐ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input checked="" type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas

Facility Name: K-SOLV LP

☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Reproductive toxicity
☒ Serious eye damage or eye irritation
☒ Skin corrosion or irritation

☐ Aspiration hazard
☐ Germ cell mutagenicity
☒ Respiratory or skin sensitization
☐ Simple Asphyxiant
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 03 (500 - 999 pounds)
Avg Daily Amt code: 04 (1,000 - 4,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: Baqy 3
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: BENZYL ALCOHOL

CAS #: 100-51-6 EHS: NO

☐ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

☐ Combustible dust
☐ Explosive
☐ Gas under pressure
☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☐ Corrosive to metal
☐ Flammable
☐ In contact with water emits flammable gas
☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☒ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Reproductive toxicity
☒ Serious eye damage or eye irritation
☐ Skin corrosion or irritation

☐ Aspiration hazard
☐ Germ cell mutagenicity
☐ Respiratory or skin sensitization
☐ Simple Asphyxiant
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 08 (50,000 - 74,999 pounds)
Avg Daily Amt code: 08 (50,000 - 74,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 350

STORAGE LOCATIONS

☐ Confidential

Facility Name: K-SOLV LP

Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: OSW
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: HEPTANE

CAS #: 142-82-5 EHS: NO

☐ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 426260-76-6, Component: HEPTANE, BRANCHED, CYCLIC & LINEAR, % Wt, Max Amt Code:
☐ EHS, CAS: 111-65-9, Component: OCTANE, % Wt, Max Amt Code:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input checked="" type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input checked="" type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 350

STORAGE LOCATIONS

☐ Confidential
Container Type: Steel drum
Pressure: Ambient pressure Temp: Ambient temperature
Location: OSW
Amount: N/A pounds

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: Bay 4
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Lacquer Diluent

CAS #: EHS:

Facility Name: K-SOLV LP

- ☐ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 68410-97-9, Component: LIGHT HYDROTREATED DISTALLATE, 100% Wt, Max Amt Code:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|--|
| <input checked="" type="checkbox"/> Acute toxicity (any route of exposure) | <input checked="" type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input checked="" type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 30

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: OSW
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: METHYL ACETATE

CAS #: 79-20-9 EHS: NO

- ☐ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 67-56-1, Component: METHANOL, 2% Wt, Max Amt Code:

☐ EHS, CAS: 79-20-9, Component: METHYL ACETATE, 97% Wt, Max Amt Code:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|--|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |

Facility Name: K-SOLV LP

☐ Skin corrosion or irritation

☒ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 05 (5,000 - 9,999 pounds)

Avg Daily Amt code: 05 (5,000 - 9,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 180

STORAGE LOCATIONS

☐ Confidential

Container Type: Steel drum

Pressure: Ambient pressure Temp: Ambient temperature

Location: OSW

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: K-1 Solvent

CAS #: EHS:

☐ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 100-41-4, Component: ETHYLBENZENE, 1% Wt, Max Amt Code:

☐ EHS, CAS: 8008-20-6, Component: KEROSENE, 96% Wt, Max Amt Code:

☐ EHS, CAS: 91-20-3, Component: NAPHTHALENE, 3% Wt, Max Amt Code:

PHYSICAL HAZARDS:

☐ Combustible dust

☐ Explosive

☐ Gas under pressure

☐ Organic peroxide

☐ Pyrophoric gas

☐ Self-heating

☐ Corrosive to metal

☒ Flammable

☐ In contact with water emits flammable gas

☐ Oxidizer

☐ Pyrophoric

☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)

☒ Carcinogenicity

☐ Reproductive toxicity

☒ Serious eye damage or eye irritation

☒ Skin corrosion or irritation

☒ Aspiration hazard

☐ Germ cell mutagenicity

☐ Respiratory or skin sensitization

☐ Simple Asphyxiant

☒ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 04 (1,000 - 4,999 pounds)

Avg Daily Amt code: 04 (1,000 - 4,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 350

STORAGE LOCATIONS

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: Yard

Amount: N/A pounds

Facility Name: K-SOLV LP

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: EXXSOL D80

CAS #: 64742-47-8 EHS:

☐ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 64742-47-8, Component: HYDROTREATED LIGHT DISTILLATES (PETROLEUM), % Wt, Max Amt Code:

PHYSICAL HAZARDS:

☐ Combustible dust
☐ Explosive
☐ Gas under pressure
☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☐ Corrosive to metal
☐ Flammable
☐ In contact with water emits flammable gas
☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Reproductive toxicity
☐ Serious eye damage or eye irritation
☐ Skin corrosion or irritation

☒ Aspiration hazard
☐ Germ cell mutagenicity
☐ Respiratory or skin sensitization
☐ Simple Asphyxiant
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 07 (25,000 - 49,999 pounds)

Avg Daily Amt code: 07 (25,000 - 49,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 105

STORAGE LOCATIONS

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: OSW

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: VGAP-801

CAS #: EHS:

☐ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 64665-57-2, Component: 1H-BENZOTRIAZOLE,6(OR7)-METHYL-,SODIUM SALT(1:1), 8% Wt, Max Amt Code:

☐ EHS, CAS: 37971-36-1, Component: 2-PHOSPHONO-1, 2, 4-BUTANETRICARBOXYLIC ACID, 10% Wt, Max Amt Code:

☐ EHS, CAS: , Component: PROPRIETARY INHIBITORS, 10% Wt, Max Amt Code:

☐ EHS, CAS: 6834-92-0, Component: SILICIC ACID, DISODIUM SALT; SODIUM METASILICATE, PENTAHYDRATE, 7% Wt,

Max Amt Code:

Facility Name: K-SOLV LP

- ☐ EHS, CAS: 1310-73-2, Component: SODIUM HYDROXIDE, 7% Wt, Max Amt Code:
☐ EHS, CAS: 7631-99-4, Component: SODIUM NITRATE, 5% Wt, Max Amt Code:
☐ EHS, CAS: 7632-00-0, Component: SODIUM NITRITE, 10% Wt, Max Amt Code:
☐ EHS, CAS: 12179-04-3, Component: SODIUM TETRABORATE PENTAHYDRATE, 15% Wt, Max Amt Code:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|--|
| <input checked="" type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated dose) |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 45

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: Bay 4
Amount: N/A pounds

- ☐ Confidential
Container Type: Steel drum
Pressure: Ambient pressure Temp: Ambient temperature
Location: Bay 2
Amount: N/A pounds

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: Yard
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: N-BUTANOL

CAS #: 71-36-3 EHS: NO

- ☐ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

Facility Name: K-SOLV LP

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|--|
| <input checked="" type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input checked="" type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 180

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: OSW
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: N-BUTYL ACETATE

CAS #: 123-86-4 EHS: NO

- ☐ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input checked="" type="checkbox"/> Reproductive toxicity | <input checked="" type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 75

Facility Name: K-SOLV LP

STORAGE LOCATIONS

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: OSW

Amount: N/A pounds

☐ Confidential

Container Type: Steel drum

Pressure: Ambient pressure Temp: Ambient temperature

Location: OSW

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: N-DECANE

CAS #: 124-18-5 EHS: NO

☐ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

☐ Combustible dust
☐ Explosive
☐ Gas under pressure
☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☐ Corrosive to metal
☒ Flammable
☐ In contact with water emits flammable gas
☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Reproductive toxicity
☐ Serious eye damage or eye irritation
☐ Skin corrosion or irritation

☐ Aspiration hazard
☐ Germ cell mutagenicity
☒ Respiratory or skin sensitization
☐ Simple Asphyxiant
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 06 (10,000 - 24,999 pounds)

Avg Daily Amt code: 06 (10,000 - 24,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 30

STORAGE LOCATIONS

☐ Confidential

Container Type: Steel drum

Pressure: Ambient pressure Temp: Ambient temperature

Location: OSW

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: NP-9

Facility Name: K-SOLV LP

CAS #: 68412-54-4 EHS:

- ☐ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 68412-54-4, Component: ETHOXYLATED NONYLPHENOL, BRANCHED, % Wt, Max Amt Code:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input checked="" type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 30

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: Bay 1
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: 2-ETHYLHEXANOL

CAS #: 104-76-7 EHS: NO

- ☐ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|--|
| <input checked="" type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |

Facility Name: K-SOLV LP

☒ Skin corrosion or irritation

☒ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 08 (50,000 - 74,999 pounds)

Avg Daily Amt code: 08 (50,000 - 74,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 350

STORAGE LOCATIONS

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: Bay 4

Amount: N/A pounds

☐ Confidential

Container Type: Steel drum

Pressure: Ambient pressure Temp: Ambient temperature

Location: OSW

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Base Oil P-100

CAS #: EHS:

☐ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 64742-54-7, Component: HEAVY PARAFFINIC HYDRATREATED DISTILLATE, % Wt, Max Amt Code:

☐ EHS, CAS: 64742-55-8, Component: LIGHT PARAFFINIC HYDROTREATED DISTILLATE, % Wt, Max Amt Code:

PHYSICAL HAZARDS:

☐ Combustible dust

☐ Explosive

☐ Gas under pressure

☐ Organic peroxide

☐ Pyrophoric gas

☐ Self-heating

☐ Corrosive to metal

☐ Flammable

☐ In contact with water emits flammable gas

☐ Oxidizer

☐ Pyrophoric

☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)

☐ Carcinogenicity

☐ Reproductive toxicity

☐ Serious eye damage or eye irritation

☐ Skin corrosion or irritation

☒ Aspiration hazard

☐ Germ cell mutagenicity

☐ Respiratory or skin sensitization

☐ Simple Asphyxiant

☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 07 (25,000 - 49,999 pounds)

Avg Daily Amt code: 07 (25,000 - 49,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 180

STORAGE LOCATIONS

Facility Name: K-SOLV LP

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: Bay 5

Amount: N/A pounds

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: Bay 6

Amount: N/A pounds

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: OSW

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: DDBSA

CAS #: 121-65-3 EHS:

☐ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 121-65-3, Component: 4-DODECYLBENZENESULFONIC ACID, 100% Wt, Max Amt Code:

PHYSICAL HAZARDS:

☐ Combustible dust
☐ Explosive
☐ Gas under pressure
☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☐ Corrosive to metal
☐ Flammable
☐ In contact with water emits flammable gas
☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Reproductive toxicity
☒ Serious eye damage or eye irritation
☒ Skin corrosion or irritation

☐ Aspiration hazard
☐ Germ cell mutagenicity
☐ Respiratory or skin sensitization
☐ Simple Asphyxiant
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 06 (10,000 - 24,999 pounds)

Avg Daily Amt code: 06 (10,000 - 24,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 45

STORAGE LOCATIONS

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: Bay 4

Amount: N/A pounds

Facility Name: K-SOLV LP

☐ Confidential

Container Type: Steel drum

Pressure: Ambient pressure Temp: Ambient temperature

Location: Bay 6

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Citric Acid 50%

CAS #: EHS:

☐ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 77-92-9, Component: 2-HYDROXY-1,2,3-PROPANETRICARBOXYLIC ACID, 50% Wt, Max Amt Code:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input checked="" type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 07 (25,000 - 49,999 pounds)

Avg Daily Amt code: 07 (25,000 - 49,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 350

STORAGE LOCATIONS

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: Bay 6

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: ARFLOW 7135D

CAS #: EHS:

☐ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

Facility Name: K-SOLV LP

CHEMICAL COMPONENTS:

- ☐ EHS, CAS: 98-82-8, Component: CUMENE, 1% Wt, Max Amt Code:
☐ EHS, CAS: 95-63-6, Component: 1,2,4-TRIMETHYLBENZENE, 5% Wt, Max Amt Code:
☐ EHS, CAS: 64742-94-5, Component: HEAVY AROMATIC NAPHTHA, 20% Wt, Max Amt Code:
☐ EHS, CAS: 64742-95-6, Component: LIGHT AROMATIC NAPHTHA, 5% Wt, Max Amt Code:
☐ EHS, CAS: 91-20-3, Component: NAPHTHALENE, 5% Wt, Max Amt Code:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--|--|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input checked="" type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input checked="" type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 350

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Steel drum
Pressure: Ambient pressure Temp: Ambient temperature
Location: OSW
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: CST-1070

CAS #: EHS:

- ☐ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- | | |
|---|--|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|---|---|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

Facility Name: K-SOLV LP

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 150

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: Bay 5
Amount: N/A pounds

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: OSW
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: TERT-BUTYL ALCOHOL

CAS #: 75-65-0 EHS: NO

☐ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input checked="" type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input type="checkbox"/> Skin corrosion or irritation	<input checked="" type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 180

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature

Facility Name: K-SOLV LP

Location: OSW
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: VARSOL 1 NAPHTHA
CAS #: EHS:

☐ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 95-63-6, Component: 1,2,4-TRIMETHYLBENZENE, % Wt, Max Amt Code:
☐ EHS, CAS: 100-41-4, Component: ETHYLBENZENE, % Wt, Max Amt Code:
☐ EHS, CAS: 91-20-3, Component: NAPHTHALENE, % Wt, Max Amt Code:
☐ EHS, CAS: 8052-41-3, Component: STODDARD SOLVENT, % Wt, Max Amt Code:
☐ EHS, CAS: 108-88-3, Component: TOLUENE, % Wt, Max Amt Code:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input checked="" type="checkbox"/> Aspiration hazard
<input checked="" type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input type="checkbox"/> Skin corrosion or irritation	<input checked="" type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 45

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: OSW
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

FACILITY STATE FIELDS:

Texas requests the following:

☐ Initial ☐ Updated ☒ Annual

TXT2 Number: 69316

TCEQ Regulated Entity Number (RN): RN100616721

TCEQ Customer Number (CN): CN602495640

During this reporting year, was this facility sold to another company, or did it close operations or discontinue storing reportable

Facility Name: K-SOLV LP

quantities of hazardous substances? NO

Effective Date:

STATE / LOCAL FEES: \$100

☒ I have attached a site plan

☐ I have attached a list of site coordinate abbreviations

☐ I have attached a description of dikes and other safeguard measures

ATTACHMENTS

ksolv map updated 2020.pdf

Certification (Read and sign after completing all sections)

I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 82
and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Kodi M Scott, Compliance Coordinator

Name and official title of owner/operator

OR owner/operator's authorized representative

Signature

02/21/2021

Date Signed